

Clinical Application of SureDerm™

Application Scope

- 1. Burn Wound (Back Site)**
: comparison pre-op state & post-op state
- 2. Trauma (back site)**
: Intra operation cut
- 3. Chest wall Reconstruction**
- 4. Ophthalmology (Correction of Epiblepharon)**
- 5. DM foot (ulcer)**

1. Burn Wound (Back Site)

(1) Pre-Operation



(11th, July, 2006)



(27th, July, 2006)

(2) OP Day



(31st, July, 2006)

(3) Post-Operation



(4days, 4th, Aug.)



(10days, 10th, Aug.)



(one month, 29th, Aug.)

2. Trauma (Back site)-Intra Operation Cut

(1) Op site dressing



(2)Wound Debridement



(3) Rehydrate SureDerm



(4) Auto Skin Preparation



(5) Apply SureDerm™ at the wound



(6) Apply auto skin and suture



(7) Completion



2. Chest Wall Reconstructions (After Tumor Resection)

(1) Pre-Application (11th of January, 2007)



(2) Application (11th of January, 2007)



(3) Post-Application (after 15days, 26th of January)



4. Ophthalmologic (Correction of Rt. Epiblepharon)

(1) Sizing of SureDerm



(2) Rehydration



(3) Operation



3. Diabetic Foot (Ulcer)

(1) Pre-Intervention



(2) Sizing



(3) Post-Intervention

